

Lolita suspended

NIKA ZUPANC




"Who is afraid of pink? My imagination chases female archetypes intentionally. Frivolous, even naive objects are my favorite victims. And when, during such a process, I manage to be creative in an evidently reserved way, I then touch the purest meaning of my work and frivolity becomes timeless elegance."

Detailing




The Lolita conveys a mood of understated elegance with an unmistakable hint of playfulness.

Colours



London Rose

Pink



White

Lolita suspended

Dimensions

37cm | 14.6"



Product

WIDTH 37cm | 14.6"

HEIGHT 40cm | 15.7"

DEPTH 37cm | 14.6"

DIAMETER 37cm | 14.6"

WEIGHT NETTO 1.4kg | 3.09lbs

Packaging

WIDTH 46cm | 18.1"

HEIGHT 58cm | 22.8"

CUBAGE 0.12m³ | 4.33ft³

LENGTH 46cm | 18.1"

WEIGHT 3.3kg | 7.28lbs

Technical CCC

MATERIAL

ABS shade, polyurethane base

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

20W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Steel pebble in matching colour

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

Technical CE

MATERIAL

ABS shade, polyurethane base

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

20W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Steel pebble in matching colour

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



*Technical UL***MATERIAL**

ABS shade, polyurethane base

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

LAMPHOLDER

E26

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110-130V

MAX POWER CONSUMPTION

25W

CABLE COLOUR

Black

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



Dimming & Lighting Control

Mains dimmable with compatible light source

Compatible models: Lolita suspended CE, Lolita suspended UL
